



TIGER KIVI-PEKKA stone pickers are manufactured in the Eastern part of Finland, which is renowned for its stony soil. The stone-picker is effectively used before or after the drilling season. You save money on expensive spare-parts and stressful breakdowns during the harvesting season.

TIGER KIVI-PEKKA stone picker specification

Series	TIGER KIVI-PEKKA 4			TIGER KIVI-PEKKA 5		TIGER KIVI-PEKKA 6
Model	Base Line	Strong	Flex Drum	Base Line	Flex Drum	Flex Drum
Working Width (m)	4			5		6
Stone size(mm)	25-300		25-500	25-600		
Tractor Requirement	75-90			90-110		110 +
Hydraulic remote outlet requirement	3	4	5	4	5	5
Empty weight(ton)	3.7		3.8	3.9		4
Full load(kg)	6-6.5					
Collecting drum width(m)	0.8			1.13		
Collecting drum tines	18			28		
Strong tines (mm)	45					
Sieves (mm)	50					
Max rock picking capacity (kg/min)	700			1000		1200
Container capacity (m ³)	1.5-2			2		
Drum dripping height (m)	2.35					
Wind rower spikes thickness (mm)	16			20		
Wind rower support axle	แกนล้อเดี่ยว			แกนล้อคู่		
Support tyre size	195R14					

Series	TIGER KIVI-PEKKA 4			TIGER KIVI-PEKKA 5		TIGER KIVI-PEKKA 6
Model	Base Line	Strong	Flex Drum	Base Line	Flex Drum	Flex Drum
Standard tyre size	560/60 R22.5					
Operation speed (km/hr)	2-6					
Flex Drum		x	✓	x	✓	✓
Hydraulic Rotor lifting	x			✓		
Rotation Guard	x			✓		
Rotation monitoring unit	Optional			✓		
Cigarette lighter requirement	Optional			✓		
Strong tines				✓		
Draw bar attach				✓		
PTO drive shafts				✓		
Hydraulic PTO shaft with extension hose				✓		
Tool & spare part box				✓		